



NEW NSK 6913ZZ NS7S 6913 Bearing NIB

Bearing No. 6913ZZ

6913ZZ Bearing 2D drawings and 3D CAD models

Size	65x90x13 mm
Bore Diameter	65 mm
Outer Diameter	90 mm
Width	13 mm
d	65 mm
D	90 mm
B	13 mm
C	13 mm
r min.	1 mm
da min.	70 mm
da max	71,5 mm
Da max.	85 mm
ra max.	1 mm
Weight	0,218 Kg
Basic dynamic load rating (C)	17,4 kN
Basic static load rating (C0)	16,1 kN
(Grease) Lubrication Speed	7 100 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.21
EAN	0029176418341
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0



Zhongjia Bearing Co. LTD

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	65MM Bore; 90MM Outside Diameter; 13MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Weight / LBS	2.559
Outer Race Width	0.512 Inch 13 Millimeter
Bore	2.559 Inch 65 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter
SRI	3.7
hidYobi	6913ZZ
LangID	1
D_	90
SREX	0.02
B_	13
da min	70
hidTable	ecat_NSRDGB



Zhongjia Bearing Co. LTD

SRE	3.7
mass	0.218
GRS rpm	7100
ra	1
SRIX	0.02
D_a	85
SRIN	-0.02
C0	16.1
fo	16.6
SREN	-0.02
DE_	84.644
Prod_Type3	DGBB_SR_ZZ
DA_	7.144
bomp	0
Z_	19
yobi	6913ZZ
C_conv	17400
ALPHA_	0
SDM_	77.5
r	1
KBRG	6141
SBRG	19
DI_	70.356