



NSK Deep Groove Bearing 6914ZZ

Bearing No. 6914ZZ

6914ZZ Bearing 2D drawings and 3D CAD models

Size	70x100x16 mm
Bore Diameter	70 mm
Outer Diameter	100 mm
Width	16 mm
d	70 mm
D	100 mm
B	16 mm
C	16 mm
r min.	1 mm
da min.	75 mm
da max	77,5 mm
Da max.	95 mm
ra max.	1 mm
Weight	0,349 Kg
Basic dynamic load rating (C)	23,7 kN
Basic static load rating (C0)	21,2 kN
(Grease) Lubrication Speed	6 300 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.34
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling	No



Zhongjia Bearing Co. LTD

Slot	
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	70MM Bore; 100MM Outside Diameter; 16MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Ste
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Weight / LBS	0.7695
Outside Diameter	3.937 Inch 100 Millimeter
Bore	2.756 Inch 70 Millimeter
Outer Race Width	0.63 Inch 16 Millimeter
Inner Race Width	0 Inch 0 Millimeter
SRI	4.52
hidYobi	6914ZZ
LangID	1
D_	100
SREX	0.02
B_	16



Zhongjia Bearing Co. LTD

da min	75
hidTable	ecat_NS RDGB
SRE	4.52
mass	0.349
GRS rpm	6300
ra	1
SRIX	0.02
D_a	95
SRIN	-0.02
C0	21.2
fo	16.3
SREN	-0.02
DE_	93.731
Prod_Type3	DGBB_SR_ZZ
DA_	8.731
bomp	0
Z_	17
yobi	6914ZZ
C_conv	23700
ALPHA_	0
SDM_	85
r	1
KBRG	6141
SBRG	19
DI_	76.269